



National AIDS Control Programme

Phase III

STATE FACT SHEETS



March 2011

National AIDS Control Programme Phase III

State Fact Sheets

March 2011



National AIDS Control Organisation

India's voice against AIDS


Department of AIDS Control

Ministry of Health & Family Welfare, Government of India

www.nacoonline.org

Contents

Acronyms	4
National Scenario	5-6
India	7
Andaman & Nicobar Islands	8
Andhra Pradesh	9
Arunachal Pradesh	10
Assam	11
Bihar	12
Chandigarh	13
Chhattisgarh	14
Dadra & Nagar Haveli	15
Daman & Diu	16
Delhi	17
Goa	18
Gujarat	19
Haryana	20
Himachal Pradesh	21
Jammu & Kashmir	22
Jharkhand	23
Karnataka	24
Kerala	25
Madhya Pradesh	26
Maharashtra	27
Manipur	28
Meghalaya	29
Mizoram	30
Nagaland	31
Odisha	32
Puducherry	33
Punjab	34
Rajasthan	35
Sikkim	36
Tamil Nadu	37
Tripura	38
Uttar Pradesh	39
Uttarakhand	40
West Bengal	41
Notes and Glossary	42-44




Acronyms

AEP	Adolescent Education Programme
AIDS	Acquired Immuno-deficiency Syndrome
ANC	Antenatal Clinic
ART	Anti-Retroviral Treatment
CCC	Community Care Centre
CD4	Cluster of Differentiation 4
CLHA	Children Living with HIV/AIDS
DLN	District Level Network of HIV Positive People
FSW	Female Sex Workers
HIV	Human Immunodeficiency Virus
HRG	High Risk Groups
ICTC	Integrated Counseling and Testing Centre
IDU	Injecting Drug Users
MSM	Men who have Sex with Men
NACO	National AIDS Control Organisation
NACP	National AIDS Control Programme
NRHM	National Rural Health Mission
NRL	National Reference Laboratory
PLHA	People Living with HIV/AIDS
RCH	Reproductive & Child Health
RTI	Reproductive Tract Infections
SLN	State Level Network of HIV Positive Persons
SRL	State Reference Laboratory
STI	Sexually Transmitted Infections
TI	Targeted Intervention
VBD	Voluntary Blood Donation

HIV Epidemic in India – National Scenario



Estimated Adult HIV Prevalence

The adult HIV prevalence at national level has continued its steady decline from 0.41% in 2000 through 0.36% in 2006 to 0.31% in 2009. All the six high prevalence states show declining trend. However, the low prevalence states of Assam, Chandigarh, Orissa, Kerala, Jharkhand, Uttarakhand, Jammu & Kashmir, Arunachal Pradesh and Meghalaya show rising trends in the last four years.




Estimated Annual New HIV Infections

New HIV infections has declined by more than 50% over the past decade from 2.7 lakh in 2000 to 1.2 lakh in 2009. Of these, six high prevalence states account for only 39%, while the states of Orissa, Bihar, West Bengal, Uttar Pradesh, Rajasthan, Madhya Pradesh and Gujarat together account for 41% of new infections.



District Categorisation for Priority Attention

District level focus is central to planning, implementation and monitoring NACP-III. Based on HIV prevalence in the districts among different population groups for three consecutive years 2004-2006, all districts in the country were classified in 2007 into 4 categories - 156 A, 39 B, 118 C & 296 D. NACP's organizational structure has been decentralized to implement programmes at the district level, with priority for 'A' and 'B' category districts.



India


Epidemic Scenario (2009) - Estimated	Total	Male	Female
Adult HIV Prevalence (%)	0.31	0.36	0.25
No. of PLHA	23,95,442	14,69,245	9,26,197
No. of CLHA	1,04,450		
No. of New Infections	1,20,668		
No. of AIDS related deaths	1,72,041		

Information Education Communication	
No. of Red Ribbon Clubs	13,187
No. of School with AEP	50,561
No. of Drop-in-Centres	201
No. of PLHA Networks (DLN & SLN)	312

STI/RTI Services	
No. of STI Clinics	1,033
No. of STI Episodes Treated	1,00,75,387

Blood Safety	
No. of Blood Banks	1,084
No. of Blood Units Collected	83,09,939
% of Units collected by VBD	79.5

Link Worker Scheme - No. of Districts	
	186



Targeted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	464	11,58,203	7,31,880	97.1
Men who Have Sex with Men (MSM)	168	4,27,045	2,75,904	99.6
Injecting Drug User (IDU)	266	1,63,162	1,45,023	86.7
Single Male Migrants	208	73,41,452		39.3
Long Distance Truckers	68	20,03,693		56.6
Total (Including Core Composite Sites - 299)	1,473			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	1,58,70,130	3,17,336
Pregnant Women	68,90,785	17,051
No. of ICTC	5,246	
No. of Mother-Baby Pairs Received Nevirapine	12,565	

Laboratory Services	No. of NRL	No. of SRL	No. of CD4 Machines
	13	118	212

Care, Support & Treatment			
No. of ART Centres	300	No. of Link ART Centres	579
No. of CCCs	264	No. of PLHA Regd	12,53,498
Total No. of PLHA on ART (Male + Female)	3,80,314	No. of Females on ART	1,62,011
No. of Children on ART	23,854	No. of Males on ART	2,18,303



Andaman & Nicobar Islands


Epidemic Scenario	Total	Male	Female
Adult HIV Prevalence (%) - Male:	0.26	0.29	0.15
No. of PLHA - Male:	395	357	38
No. of CLHA:	4		
No. of New Infections:	21		
No. of AIDS related deaths:	41		

Information Education Communication	
No. of Red Ribbon Clubs:	3
No. of School with AEP:	96
No. of Drop-in-Centres:	0
No. of PLHA Networks (DLN & SLN)	0

Management of Sexually Transmitted Infections	
No. of STI Clinics:	1
No. of STI Episodes Treated:	5,024

Blood Safety	
No. of Blood Banks:	2
No. of Blood Units Collected:	3,185
% of Units collected by VBD:	0.0

Link Worker Scheme - No. of Districts:	
	0




Targetted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	0	0	0	0.0
Men who Have Sex with Men (MSM)	0	0	0	0.0
Injecting Drug User (IDU)	0	0	0	0.0
Single Male Migrants	0	0	0	0.0
Long Distance Truckers	0	0	0	0.0
Total (Including Core Composite Sites - 0)	0			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	16,515	31
Pregnant Women	5,792	0
No. of ICTC	13	
No. of Mother-Baby Pairs Received Nevirapine:	0	

Laboratory Services	No. of NRL:	No. of SRL:	No. of CD4 Machines:
	0	1	0

Care, Support & Treatment			
No. of ART Centres:	0	No. of Link ART Centres:	0
No. of CCCs:	0	No. of PLHA Registered:	0
Total No. of PLHA on ART	0	No. of Female on ART	0
No. of Children on ART	0	No. of Males on ART	



Andhra Pradesh


Epidemic Scenario (2009) - Estimated	Total	Male	Female
Adult HIV Prevalence (%)	0.90	1.07	0.73
No. of PLHA	4,99,620	3,01,116	1,98,504
No. of CLHA	20,207		
No. of New Infections	23,905		
No. of AIDS related deaths	35,694		

Information Education Communication	
No. of Red Ribbon Clubs	4,400
No. of School with AEP	16,000
No. of Drop-in-Centres	24
No. of PLHA Networks (DLN & SLN)	24

STI/RTI Services	
No. of STI Clinics	100
No. of STI Episodes Treated	13,54,638

Blood Safety	
No. of Blood Banks	96
No. of Blood Units Collected	6,40,308
% of Units collected by VBD	89.5

Link Worker Scheme - No. of Districts	
	22




Targeted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	35	1,40,034	1,25,271	106.2
Men who Have Sex with Men (MSM)	6	43,731	19,989	166.5
Injecting Drug User (IDU)	6	1,500	1,500	120.0
Single Male Migrants	18	49,054		528.0
Long Distance Truckers	5	1,23,345		52.7
Total (Including Core Composite Sites - 45)	115			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	21,57,845	75,757
Pregnant Women	9,19,603	3,932
No. of ICTC	677	
No. of Mother-Baby Pairs Received Nevirapine	3,274	

Laboratory Services	No. of NRL	No. of SRL	No. of CD4 Machines
	1	10	29

Care, Support & Treatment			
No. of ART Centres	41	No. of Link ART Centres	65
No. of CCCs	34	No. of PLHA Regd	3,16,196
Total No. of PLHA on ART (Male + Female)	83,888	No. of Females on ART	38,620
No. of Children on ART	4,292	No. of Males on ART	45,268



Arunachal Pradesh


Epidemic Scenario (2009) - Estimated	Total	Male	Female
Adult HIV Prevalence (%)	0.16	0.20	0.12
No. of PLHA	1,081	686	395
No. of CLHA	42		
No. of New Infections	134		
No. of AIDS related deaths	54		

Information Education Communication	
No. of Red Ribbon Clubs	20
No. of School with AEP	23
No. of Drop-in-Centres	0
No. of PLHA Networks (DLN & SLN)	0

STI/RTI Services	
No. of STI Clinics	16
No. of STI Episodes Treated	12,714

Blood Safety	
No. of Blood Banks	12
No. of Blood Units Collected	4,103
% of Units collected by VBD	88.4

Link Worker Scheme - No. of Districts	
	0



Targeted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	4	1,270	3,422	110.7
Men who Have Sex with Men (MSM)	0	256	0	0.0
Injecting Drug User (IDU)	3	757	1,872	92.3
Single Male Migrants	6	52,664		95.6
Long Distance Truckers	0	0		0.0
Total (Including Core Composite Sites - 8)	21			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	27,837	6
Pregnant Women	9,619	1
No. of ICTC	35	
No. of Mother-Baby Pairs Received Nevirapine	1	

Laboratory Services	No. of NRL	No. of SRL	No. of CD4 Machines
	0	1	1

Care, Support & Treatment			
No. of ART Centres	1	No. of Link ART Centres	0
No. of CCCs	0	No. of PLHA Regd	101
Total No. of PLHA on ART (Male + Female)	32	No. of Females on ART	8
No. of Children on ART	0	No. of Males on ART	24

Assam


Epidemic Scenario (2009) - Estimated	Total	Male	Female
Adult HIV Prevalence (%)	0.08	0.10	0.06
No. of PLHA	14,243	8,883	5,360
No. of CLHA	330		
No. of New Infections	2,540		
No. of AIDS related deaths	471		

Information Education Communication	
No. of Red Ribbon Clubs	110
No. of School with AEP	575
No. of Drop-in-Centres	2
No. of PLHA Networks (DLN & SLN)	7

STI/RTI Services	
No. of STI Clinics	27
No. of STI Episodes Treated	1,03,765

Blood Safety	
No. of Blood Banks	32
No. of Blood Units Collected	1,60,925
% of Units collected by VBD	55.4

Link Worker Scheme - No. of Districts	
	0



Targeted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	38	12,846	19,773	93.1
Men who Have Sex with Men (MSM)	5	907	2,000	100.0
Injecting Drug User (IDU)	8	1,000	3,300	101.5
Single Male Migrants	6	60,000		50.3
Long Distance Truckers	1	8,082		61.9
Total (Including Core Composite Sites - 2)	60			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	2,43,457	1,081
Pregnant Women	1,52,484	94
No. of ICTC	83	
No. of Mother-Baby Pairs Received Nevirapine	46	

Laboratory Services	No. of NRL	No. of SRL	No. of CD4 Machines
	0	3	3

Care, Support & Treatment			
No. of ART Centres	3	No. of Link ART Centres	8
No. of CCCs	3	No. of PLHA Regd	3,615
Total No. of PLHA on ART (Male + Female)	1,244	No. of Females on ART	409
No. of Children on ART	51	No. of Males on ART	835



Bihar


Epidemic Scenario (2009) - Estimated	Total	Male	Female
Adult HIV Prevalence (%)	0.22	0.26	0.17
No. of PLHA	1,20,470	75,864	44,606
No. of CLHA	4,897		
No. of New Infections	10,056		
No. of AIDS related deaths	6,944		

Information Education Communication	
No. of Red Ribbon Clubs	281
No. of School with AEP	0
No. of Drop-in-Centres	3
No. of PLHA Networks (DLN & SLN)	12

STI/RTI Services	
No. of STI Clinics	42
No. of STI Episodes Treated	2,11,860

Blood Safety	
No. of Blood Banks	47
No. of Blood Units Collected	1,16,515
% of Units collected by VBD	38.7

Link Worker Scheme - No. of Districts	
	9



Targeted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	8	24,943	15,925	100.0
Men who Have Sex with Men (MSM)	3	4,795	3,460	100.0
Injecting Drug User (IDU)	14	6,086	4,242	100.0
Single Male Migrants	0	0		0.0
Long Distance Truckers	1	19,500		51.3
Total (Including Core Composite Sites - 18)	44			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	3,71,393	8,973
Pregnant Women	1,76,285	283
No. of ICTC	207	
No. of Mother-Baby Pairs Received Nevirapine	203	

Laboratory Services	No. of NRL	No. of SRL	No. of CD4 Machines
	0	2	5

Care, Support & Treatment			
No. of ART Centres	6	No. of Link ART Centres	28
No. of CCCs	9	No. of PLHA Regd	24,136
Total No. of PLHA on ART (Male + Female)	7,728	No. of Females on ART	2,556
No. of Children on ART	402	No. of Males on ART	5,172

Chandigarh


Epidemic Scenario (2009) - Estimated	Total	Male	Female
Adult HIV Prevalence (%)	0.39	0.46	0.29
No. of PLHA	3,067	2,059	1,008
No. of CLHA	71		
No. of New Infections	217		
No. of AIDS related deaths	85		

Information Education Communication	
No. of Red Ribbon Clubs	18
No. of School with AEP	0
No. of Drop-in-Centres	1
No. of PLHA Networks (DLN & SLN)	1

STI/RTI Services	
No. of STI Clinics	4
No. of STI Episodes Treated	21,013

Blood Safety	
No. of Blood Banks	4
No. of Blood Units Collected	77,216
% of Units collected by VBD	0.0

Link Worker Scheme - No. of Districts	
	0



Targeted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	4	3,394	3,750	105.5
Men who Have Sex with Men (MSM)	2	2,345	2,500	92.4
Injecting Drug User (IDU)	2	1,000	1,100	118.6
Single Male Migrants	3	40,000		63.2
Long Distance Truckers	0	4,500		18.7
Total (Including Core Composite Sites - 1)	12			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	45,979	961
Pregnant Women	20,906	39
No. of ICTC	11	
No. of Mother-Baby Pairs Received Nevirapine	36	

Laboratory Services	No. of NRL	No. of SRL	No. of CD4 Machines
	0	1	1

Care, Support & Treatment			
No. of ART Centres	1	No. of Link ART Centres	0
No. of CCCs	1	No. of PLHA Regd	5,536
Total No. of PLHA on ART (Male + Female)	1,579	No. of Females on ART	549
No. of Children on ART	169	No. of Males on ART	1,030



Chhattisgarh


Epidemic Scenario (2009) - Estimated	Total	Male	Female
Adult HIV Prevalence (%)	0.28	0.34	0.22
No. of PLHA	39,774	24,667	15,107
No. of CLHA	1,454		
No. of New Infections	3,221		
No. of AIDS related deaths	2,234		

Information Education Communication	
No. of Red Ribbon Clubs	142
No. of School with AEP	0
No. of Drop-in-Centres	1
No. of PLHA Networks (DLN & SLN)	4

STI/RTI Services	
No. of STI Clinics	19
No. of STI Episodes Treated	45,881

Blood Safety	
No. of Blood Banks	15
No. of Blood Units Collected	51,824
% of Units collected by VBD	95.4

Link Worker Scheme - No. of Districts	
	3



Targeted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	13	22,000	12,350	99.6
Men who Have Sex with Men (MSM)	2	1,921	1,900	139.5
Injecting Drug User (IDU)	4	2,233	1,250	165.2
Single Male Migrants	6	70,021		42.8
Long Distance Truckers	2	58,179		68.8
Total (Including Core Composite Sites - 7)	34			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	1,26,813	2,168
Pregnant Women	62,841	149
No. of ICTC	100	
No. of Mother-Baby Pairs Received Nevirapine	70	

Laboratory Services	No. of NRL	No. of SRL	No. of CD4 Machines
	0	1	3

Care, Support & Treatment			
No. of ART Centres	4	No. of Link ART Centres	3
No. of CCCs	5	No. of PLHA Regd	6,390
Total No. of PLHA on ART (Male + Female)	1,950	No. of Females on ART	698
No. of Children on ART	162	No. of Males on ART	1,252

Dadra & Nagar Haveli


Epidemic Scenario (2009) - Estimated	Total	Male	Female
Adult HIV Prevalence (%)	0.15	0.17	0.12
No. of PLHA	285	173	112
No. of CLHA	11		
No. of New Infections	19		
No. of AIDS related deaths	24		

Information Education Communication	
No. of Red Ribbon Clubs	1
No. of School with AEP	24
No. of Drop-in-Centres	0
No. of PLHA Networks (DLN & SLN)	0

STI/RTI Services	
No. of STI Clinics	1
No. of STI Episodes Treated	6,161

Blood Safety	
No. of Blood Banks	1
No. of Blood Units Collected	4,218
% of Units collected by VBD	0.0

Link Worker Scheme - No. of Districts	
	0



Targeted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	0	0	0	0.0
Men who Have Sex with Men (MSM)	0	54	0	0.0
Injecting Drug User (IDU)	0	0	0	0.0
Single Male Migrants	2	1,55,000		12.9
Long Distance Truckers	1	80,000		26.6
Total (Including Core Composite Sites - 0)	3			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	9,846	52
Pregnant Women	4,986	5
No. of ICTC	1	
No. of Mother-Baby Pairs Received Nevirapine	3	

Laboratory Services	No. of NRL	No. of SRL	No. of CD4 Machines
	0	0	0

Care, Support & Treatment			
No. of ART Centres	0	No. of Link ART Centres	1
No. of CCCs	0	No. of PLHA Regd	0
Total No. of PLHA on ART (Male + Female)	0	No. of Females on ART	0
No. of Children on ART	0	No. of Males on ART	0



National AIDS Control Programme Phase-III (2007-12)

Daman & Diu


Epidemic Scenario (2009) - Estimated	Total	Male	Female
Adult HIV Prevalence (%)	0.16	0.18	0.13
No. of PLHA	251	156	95
No. of CLHA	10		
No. of New Infections	17		
No. of AIDS related deaths	22		

Information Education Communication	
No. of Red Ribbon Clubs	4
No. of School with AEP	35
No. of Drop-in-Centres	0
No. of PLHA Networks (DLN & SLN)	0

STI/RTI Services	
No. of STI Clinics	2
No. of STI Episodes Treated	951

Blood Safety	
No. of Blood Banks	1
No. of Blood Units Collected	11,53
% of Units collected by VBD	0.0

Link Worker Scheme - No. of Districts	
	0



Targeted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	0	113	400	38.8
Men who Have Sex with Men (MSM)	0	41	250	44.0
Injecting Drug User (IDU)	0	0	0	0.0
Single Male Migrants	4	88,000		22.1
Long Distance Truckers	1	60,000		44.3
Total (Including Core Composite Sites - 2)	7			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	4,704	93
Pregnant Women	2,433	8
No. of ICTC	4	
No. of Mother-Baby Pairs Received Nevirapine	4	

Laboratory Services	No. of NRL	No. of SRL	No. of CD4 Machines
	0	0	0

Care, Support & Treatment			
No. of ART Centres	0	No. of Link ART Centres	0
No. of CCCs	0	No. of PLHA Regd	0
Total No. of PLHA on ART (Male + Female)	0	No. of Females on ART	0
No. of Children on ART	0	No. of Males on ART	0

Delhi


Epidemic Scenario (2009) - Estimated	Total	Male	Female
Adult HIV Prevalence (%)	0.30	0.35	0.23
No. of PLHA	34,216	22,308	11,908
No. of CLHA	1,141		
No. of New Infections	1,970		
No. of AIDS related deaths	1,772		

Information Education Communication	
No. of Red Ribbon Clubs	90
No. of School with AEP	1,008
No. of Drop-in-Centres	5
No. of PLHA Networks (DLN & SLN)	1

STI/RTI Services	
No. of STI Clinics	17
No. of STI Episodes Treated	2,97,926

Blood Safety	
No. of Blood Banks	19
No. of Blood Units Collected	4,84,535
% of Units collected by VBD	0.0

Link Worker Scheme - No. of Districts	
	0



Targeted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	40	61,621	43,750	85.8
Men who Have Sex with Men (MSM)	17	28,999	16,200	94.8
Injecting Drug User (IDU)	19	17,173	11,600	82.8
Single Male Migrants	8	8,87,822		4.5
Long Distance Truckers	3	80,000		25.0
Total (Including Core Composite Sites - 0)	87			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	3,89,614	7,085
Pregnant Women	1,60,676	327
No. of ICTC	87	
No. of Mother-Baby Pairs Received Nevirapine	221	

Laboratory Services	No. of NRL	No. of SRL	No. of CD4 Machines
	2	4	5

Care, Support & Treatment			
No. of ART Centres	9	No. of Link ART Centres	0
No. of CCCs	5	No. of PLHA Regd	30,615
Total No. of PLHA on ART (Male + Female)	7,985	No. of Females on ART	2,436
No. of Children on ART	635	No. of Males on ART	5,549



Goa


Epidemic Scenario (2009) - Estimated	Total	Male	Female
Adult HIV Prevalence (%)	0.49	0.58	0.40
No. of PLHA	5,440	3,287	2,153
No. of CLHA	250		
No. of New Infections	299		
No. of AIDS related deaths	401		

Information Education Communication	
No. of Red Ribbon Clubs	30
No. of School with AEP	234
No. of Drop-in-Centres	2
No. of PLHA Networks (DLN & SLN)	3

STI/RTI Services	
No. of STI Clinics	4
No. of STI Episodes Treated	21,479

Blood Safety	
No. of Blood Banks	3
No. of Blood Units Collected	11,634
% of Units collected by VBD	0.0

Link Worker Scheme - No. of Districts	
	1



Targeted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	6	2,936	4,364	69.4
Men who Have Sex with Men (MSM)	3	2,233	3,000	93.7
Injecting Drug User (IDU)	2	920	650	97.2
Single Male Migrants	2	33,220		43.5
Long Distance Truckers	2	42,043		53.0
Total (Including Core Composite Sites - 1)	16			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	33,410	731
Pregnant Women	12,346	47
No. of ICTC	14	
No. of Mother-Baby Pairs Received Nevirapine	26	

Laboratory Services	No. of NRL	No. of SRL	No. of CD4 Machines
	0	1	1

Care, Support & Treatment			
No. of ART Centres	1	No. of Link ART Centres	2
No. of CCCs	2	No. of PLHA Regd	4,463
Total No. of PLHA on ART (Male + Female)	1,181	No. of Females on ART	461
No. of Children on ART	87	No. of Males on ART	720

Gujarat


Epidemic Scenario (2009) - Estimated	Total	Male	Female
Adult HIV Prevalence (%)	0.37	0.44	0.30
No. of PLHA	1,36,874	84,441	52,433
No. of CLHA	5,418		
No. of New Infections	4,283		
No. of AIDS related deaths	9,356		

Information Education Communication	
No. of Red Ribbon Clubs	695
No. of School with AEP	2,731
No. of Drop-in-Centres	16
No. of PLHA Networks (DLN & SLN)	19

STI/RTI Services	
No. of STI Clinics	44
No. of STI Episodes Treated	7,31,393

Blood Safety	
No. of Blood Banks	74
No. of Blood Units Collected	7,63,225
% of Units collected by VBD	84.2

Link Worker Scheme - No. of Districts	
	11



Targeted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	17	70,291	35,377	97.7
Men who Have Sex with Men (MSM)	21	47,645	42,077	98.6
Injecting Drug User (IDU)	3	2,365	1,050	96.2
Single Male Migrants	28	11,48,888		48.1
Long Distance Truckers	8	2,29,515		44.4
Total (Including Core Composite Sites - 40)	117			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	11,78,341	14,659
Pregnant Women	5,05,913	839
No. of ICTC	290	
No. of Mother-Baby Pairs Received Nevirapine	593	

Laboratory Services	No. of NRL	No. of SRL	No. of CD4 Machines
	0	5	7

Care, Support & Treatment			
No. of ART Centres	19	No. of Link ART Centres	33
No. of CCCs	13	No. of PLHA Regd	57,913
Total No. of PLHA on ART (Male + Female)	18,472	No. of Females on ART	6,515
No. of Children on ART	1,063	No. of Males on ART	11,957



Haryana


Epidemic Scenario (2009) - Estimated	Total	Male	Female
Adult HIV Prevalence (%)	0.10	0.17	0.07
No. of PLHA	15,852	8,118	7,734
No. of CLHA	665		
No. of New Infections	1,196		
No. of AIDS related deaths	973		

Information Education Communication	
No. of Red Ribbon Clubs	71
No. of School with AEP	3,329
No. of Drop-in-Centres	2
No. of PLHA Networks (DLN & SLN)	4

STI/RTI Services	
No. of STI Clinics	25
No. of STI Episodes Treated	2,30,195

Blood Safety	
No. of Blood Banks	20
No. of Blood Units Collected	2,41,728
% of Units collected by VBD	90.2

Link Worker Scheme - No. of Districts	
	9




Targeted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	13	24,997	14,400	102.8
Men who Have Sex with Men (MSM)	7	5,023	5,000	102.0
Injecting Drug User (IDU)	14	2,664	4,800	87.5
Single Male Migrants	9	1,77,586		29.8
Long Distance Truckers	0	7,900		0.0
Total (Including Core Composite Sites - 8)	51			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	2,81,571	3,572
Pregnant Women	1,11,932	154
No. of ICTC	47	
No. of Mother-Baby Pairs Received Nevirapine	62	

Laboratory Services	No. of NRL	No. of SRL	No. of CD4 Machines
	0	1	1

Care, Support & Treatment			
No. of ART Centres	1	No. of Link ART Centres	5
No. of CCCs	1	No. of PLHA Regd	7,452
Total No. of PLHA on ART (Male + Female)	1,958	No. of Females on ART	746
No. of Children on ART	126	No. of Males on ART	1,212



Himachal Pradesh


Epidemic Scenario (2009) - Estimated	Total	Male	Female
Adult HIV Prevalence (%)	0.19	0.23	0.16
No. of PLHA	8,878	5,400	3,478
No. of CLHA	388		
No. of New Infections	400		
No. of AIDS related deaths	789		

Information Education Communication	
No. of Red Ribbon Clubs	227
No. of School with AEP	0
No. of Drop-in-Centres	2
No. of PLHA Networks (DLN & SLN)	0

STI/RTI Services	
No. of STI Clinics	16
No. of STI Episodes Treated	97,510

Blood Safety	
No. of Blood Banks	14
No. of Blood Units Collected	21,165
% of Units collected by VBD	85.1

Link Worker Scheme - No. of Districts	
	0



Targeted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	15	8,617	8,800	61.4
Men who Have Sex with Men (MSM)	1	1,136	1,450	27.6
Injecting Drug User (IDU)	2	808	550	145.5
Single Male Migrants	4	70,450		21.3
Long Distance Truckers	0	5,400		0.0
Total (Including Core Composite Sites - 3)	25			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	1,09,091	832
Pregnant Women	35,435	26
No. of ICTC	88	
No. of Mother-Baby Pairs Received Nevirapine	9	

Laboratory Services	No. of NRL	No. of SRL	No. of CD4 Machines
	0	1	2

Care, Support & Treatment			
No. of ART Centres	3	No. of Link ART Centres	4
No. of CCCs	2	No. of PLHA Regd	3,671
Total No. of PLHA on ART (Male + Female)	1,186	No. of Females on ART	564
No. of Children on ART	120	No. of Males on ART	622



Jammu & Kashmir


Epidemic Scenario (2009) - Estimated	Total	Male	Female
Adult HIV Prevalence (%)	0.08	0.09	0.06
No. of PLHA	5,403	3,430	1,973
No. of CLHA	118		
No. of New Infections	778		
No. of AIDS related deaths	183		

Information Education Communication	
No. of Red Ribbon Clubs	36
No. of School with AEP	36
No. of Drop-in-Centres	0
No. of PLHA Networks (DLN & SLN)	0

STI/RTI Services	
No. of STI Clinics	19
No. of STI Episodes Treated	1,05,011

Blood Safety	
No. of Blood Banks	20
No. of Blood Units Collected	50,140
% of Units collected by VBD	85.1

Link Worker Scheme - No. of Districts	
	0



Targeted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	3	3,901	1,015	123.1
Men who Have Sex with Men (MSM)	1	727	285	105.3
Injecting Drug User (IDU)	1	2,893	395	75.9
Single Male Migrants	1	0		0.0
Long Distance Truckers	0	18,000		0.0
Total (Including Core Composite Sites - 0)	6			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	58,504	360
Pregnant Women	33,636	17
No. of ICTC	34	
No. of Mother-Baby Pairs Received Nevirapine	8	

Laboratory Services	No. of NRL	No. of SRL	No. of CD4 Machines
	0	2	2

Care, Support & Treatment			
No. of ART Centres	2	No. of Link ART Centres	0
No. of CCCs	1	No. of PLHA Regd	2,078
Total No. of PLHA on ART (Male + Female)	630	No. of Females on ART	235
No. of Children on ART	46	No. of Males on ART	395

Jharkhand


Epidemic Scenario (2009) - Estimated	Total	Male	Female
Adult HIV Prevalence (%)	0.13	0.16	0.10
No. of PLHA	23,574	14,904	8,670
No. of CLHA	606		
No. of New Infections	3,814		
No. of AIDS related deaths	836		

Information Education Communication	
No. of Red Ribbon Clubs	42
No. of School with AEP	198
No. of Drop-in-Centres	4
No. of PLHA Networks (DLN & SLN)	1

STI/RTI Services	
No. of STI Clinics	27
No. of STI Episodes Treated	1,20,875

Blood Safety	
No. of Blood Banks	23
No. of Blood Units Collected	1,08,222
% of Units collected by VBD	79.4

Link Worker Scheme - No. of Districts	
	0



Targeted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	27	39,577	15,540	74.8
Men who Have Sex with Men (MSM)	4	3,220	1,510	31.8
Injecting Drug User (IDU)	4	1,764	500	88.0
Single Male Migrants	0	0		0.0
Long Distance Truckers	3	59,783		74.3
Total (Including Core Composite Sites - 0)	38			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	1,36,673	1,787
Pregnant Women	51,478	96
No. of ICTC	64	
No. of Mother-Baby Pairs Received Nevirapine	31	

Laboratory Services	No. of NRL	No. of SRL	No. of CD4 Machines
	0	3	3

Care, Support & Treatment			
No. of ART Centres	4	No. of Link ART Centres	11
No. of CCCs	3	No. of PLHA Regd	6,994
Total No. of PLHA on ART (Male + Female)	2,178	No. of Females on ART	787
No. of Children on ART	155	No. of Males on ART	1,391



Karnataka


Epidemic Scenario (2009) - Estimated	Total	Male	Female
Adult HIV Prevalence (%)	0.63	0.75	0.51
No. of PLHA	2,45,522	1,48,089	97,433
No. of CLHA	9,475		
No. of New Infections	9,184		
No. of AIDS related deaths	16,355		

Information Education Communication	
No. of Red Ribbon Clubs	732
No. of School with AEP	0
No. of Drop-in-Centres	10
No. of PLHA Networks (DLN & SLN)	27

STI/RTI Services	
No. of STI Clinics	45
No. of STI Episodes Treated	24,68,338

Blood Safety	
No. of Blood Banks	65
No. of Blood Units Collected	5,13,857
% of Units collected by VBD	71.2

Link Worker Scheme - No. of Districts	
	28



Targeted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	20	77,526	79,359	97.2
Men who Have Sex with Men (MSM)	12	24,096	25,936	92.9
Injecting Drug User (IDU)	4	917	801	114.5
Single Male Migrants	11	800,000		41.9
Long Distance Truckers	4	109,000		45.9
Total (Including Core Composite Sites - 5)	56			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	15,69,399	44,506
Pregnant Women	7,88,403	2,605
No. of ICTC	561	
No. of Mother-Baby Pairs Received Nevirapine	2,162	

Laboratory Services	No. of NRL	No. of SRL	No. of CD4 Machines
	1	10	29

Care, Support & Treatment			
No. of ART Centres	42	No. of Link ART Centres	92
No. of CCCs	31	No. of PLHA Regd	1,67,465
Total No. of PLHA on ART (Male + Female)	51,285	No. of Females on ART	24,417
No. of Children on ART	3,717	No. of Males on ART	26,868

Kerala


Epidemic Scenario (2009) - Estimated	Total	Male	Female
Adult HIV Prevalence (%)	0.19	0.23	0.15
No. of PLHA	40,060	24,429	15,631
No. of CLHA	871		
No. of New Infections	3,968		
No. of AIDS related deaths	1,649		

Information Education Communication	
No. of Red Ribbon Clubs	424
No. of School with AEP	1,846
No. of Drop-in-Centres	14
No. of PLHA Networks (DLN & SLN)	15

STI/RTI Services	
No. of STI Clinics	21
No. of STI Episodes Treated	1,87,785

Blood Safety	
No. of Blood Banks	45
No. of Blood Units Collected	2,99,118
% of Units collected by VBD	78.1

Link Worker Scheme - No. of Districts	
	1



Targeted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	20	37,569	34,925	88.8
Men who Have Sex with Men (MSM)	13	25,633	25,000	89.8
Injecting Drug User (IDU)	8	5,668	4,798	129.6
Single Male Migrants	8	40,000		100.0
Long Distance Truckers	1	28,800		258.4
Total (Including Core Composite Sites - 0)	50			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	3,22,309	2,357
Pregnant Women	1,19,280	89
No. of ICTC	162	
No. of Mother-Baby Pairs Received Nevirapine	70	

Laboratory Services	No. of NRL	No. of SRL	No. of CD4 Machines
	0	5	6

Care, Support & Treatment			
No. of ART Centres	8	No. of Link ART Centres	8
No. of CCCs	7	No. of PLHA Regd	14,347
Total No. of PLHA on ART (Male + Female)	5,165	No. of Females on ART	1,956
No. of Children on ART	279	No. of Males on ART	3,209



Madhya Pradesh


Epidemic Scenario (2009) - Estimated	Total	Male	Female
Adult HIV Prevalence (%)	0.19	0.23	0.16
No. of PLHA	84,803	52,598	32,205
No. of CLHA	4,546		
No. of New Infections	4,806		
No. of AIDS related deaths	6,824		

Information Education Communication	
No. of Red Ribbon Clubs	506
No. of School with AEP	0
No. of Drop-in-Centres	2
No. of PLHA Networks (DLN & SLN)	18

STI/RTI Services	
No. of STI Clinics	61
No. of STI Episodes Treated	4,39,029

Blood Safety	
No. of Blood Banks	59
No. of Blood Units Collected	3,08,681
% of Units collected by VBD	91.5

Link Worker Scheme - No. of Districts	
	8




Targeted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	17	58,393	27,494	48.7
Men who Have Sex with Men (MSM)	10	19,866	10,643	61.8
Injecting Drug User (IDU)	8	8,660	5,601	87.9
Single Male Migrants	3	1,54,851		16.8
Long Distance Truckers	3	89,490		50.3
Total (Including Core Composite Sites - 22)	63			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	2,89,610	4,340
Pregnant Women	1,41,623	202
No. of ICTC	143	
No. of Mother-Baby Pairs Received Nevirapine	155	

Laboratory Services	No. of NRL	No. of SRL	No. of CD4 Machines
	0	4	5

Care, Support & Treatment			
No. of ART Centres	7	No. of Link ART Centres	26
No. of CCCs	7	No. of PLHA Regd	15,118
Total No. of PLHA on ART (Male + Female)	4,695	No. of Females on ART	1,673
No. of Children on ART	317	No. of Males on ART	3,022



Maharashtra


Epidemic Scenario (2009) - Estimated	Total	Male	Female
Adult HIV Prevalence (%)	0.55	0.64	0.45
No. of PLHA	4,19,789	2,56,679	1,63,110
No. of CLHA	23,831		
No. of New Infections	11,287		
No. of AIDS related deaths	36,771		

Information Education Communication	
No. of Red Ribbon Clubs	701
No. of School with AEP	38
No. of Drop-in-Centres	18
No. of PLHA Networks (DLN & SLN)	35

STI/RTI Services	
No. of STI Clinics	75
No. of STI Episodes Treated	6,06,515

Blood Safety	
No. of Blood Banks	97
No. of Blood Units Collected	10,39,520
% of Units collected by VBD	89.1

Link Worker Scheme - No. of Districts	
	29



Targeted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	37	2,42,111	1,01,979	95.4
Men who Have Sex with Men (MSM)	13	99,533	45,587	82.0
Injecting Drug User (IDU)	6	3,940	4,151	52.5
Single Male Migrants	39	14,80,270		55.6
Long Distance Truckers	9	2,68,900		33.5
Total (Including Core Composite Sites - 0)	104			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	28,00,435	77,020
Pregnant Women	11,96,254	4,520
No. of ICTC	678	
No. of Mother-Baby Pairs Received Nevirapine	2,727	

Laboratory Services	No. of NRL	No. of SRL	No. of CD4 Machines
	2	16	39

Care, Support & Treatment			
No. of ART Centres	51	No. of Link ART Centres	85
No. of CCCs	41	No. of PLHA Regd	2,61,442
Total No. of PLHA on ART (Male + Female)	90,484	No. of Females on ART	38,096
No. of Children on ART	6,301	No. of Males on ART	52,388



Manipur


Epidemic Scenario (2009) - Estimated	Total	Male	Female
Adult HIV Prevalence (%)	1.40	1.89	0.90
No. of PLHA	26,773	18,731	8,042
No. of CLHA	667		
No. of New Infections	1,219		
No. of AIDS related deaths	1,700		

Information Education Communication	
No. of Red Ribbon Clubs	46
No. of School with AEP	0
No. of Drop-in-Centres	4
No. of PLHA Networks (DLN & SLN)	10

STI/RTI Services	
No. of STI Clinics	10
No. of STI Episodes Treated	31,687

Blood Safety	
No. of Blood Banks	3
No. of Blood Units Collected	21,362
% of Units collected by VBD	53.2

Link Worker Scheme - No. of Districts	
	9




Targeted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	6	6,308	5,400	101.9
Men who Have Sex with Men (MSM)	3	1,443	900	122.2
Injecting Drug User (IDU)	41	12,389	21,400	90.7
Single Male Migrants	2	4,355		368.2
Long Distance Truckers	0	0		0.0
Total (Including Core Composite Sites - 1)	53			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	90,156	3,117
Pregnant Women	43,885	245
No. of ICTC	54	
No. of Mother-Baby Pairs Received Nevirapine	194	

Laboratory Services	No. of NRL	No. of SRL	No. of CD4 Machines
	1	1	6

Care, Support & Treatment			
No. of ART Centres	7	No. of Link ART Centres	9
No. of CCCs	10	No. of PLHA Regd	16,709
Total No. of PLHA on ART (Male + Female)	6,122	No. of Females on ART	2,552
No. of Children on ART	478	No. of Males on ART	3,570



Meghalaya


Epidemic Scenario (2009) - Estimated	Total	Male	Female
Adult HIV Prevalence (%)	0.08	0.10	0.07
No. of PLHA	1,332	824	508
No. of CLHA	25		
No. of New Infections	168		
No. of AIDS related deaths	53		

Information Education Communication	
No. of Red Ribbon Clubs	11
No. of School with AEP	0
No. of Drop-in-Centres	1
No. of PLHA Networks (DLN & SLN)	1

STI/RTI Services	
No. of STI Clinics	8
No. of STI Episodes Treated	12,228

Blood Safety	
No. of Blood Banks	5
No. of Blood Units Collected	7,684
% of Units collected by VBD	36.5

Link Worker Scheme - No. of Districts	
	0



Targeted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	3	3,129	1,600	105.0
Men who Have Sex with Men (MSM)	0	0	200	100.0
Injecting Drug User (IDU)	3	486	1,300	111.5
Single Male Migrants	1	12,804		39.1
Long Distance Truckers	0	0		0.0
Total (Including Core Composite Sites - 1)	8			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	16,935	255
Pregnant Women	11,208	31
No. of ICTC	9	
No. of Mother-Baby Pairs Received Nevirapine	9	

Laboratory Services	No. of NRL	No. of SRL	No. of CD4 Machines
	0	1	1

Care, Support & Treatment			
No. of ART Centres	1	No. of Link ART Centres	0
No. of CCCs	0	No. of PLHA Regd	452
Total No. of PLHA on ART (Male + Female)	132	No. of Females on ART	65
No. of Children on ART	3	No. of Males on ART	67



Mizoram


Epidemic Scenario (2009) - Estimated	Total	Male	Female
Adult HIV Prevalence (%)	0.81	0.97	0.64
No. of PLHA	6,025	3,822	2,203
No. of CLHA	131		
No. of New Infections	409		
No. of AIDS related deaths	362		

Information Education Communication	
No. of Red Ribbon Clubs	30
No. of School with AEP	545
No. of Drop-in-Centres	7
No. of PLHA Networks (DLN & SLN)	1

STI/RTI Services	
No. of STI Clinics	8
No. of STI Episodes Treated	36,617

Blood Safety	
No. of Blood Banks	10
No. of Blood Units Collected	22,365
% of Units collected by VBD	77.2

Link Worker Scheme - No. of Districts	
	3



Targeted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	2	1,563	1,470	97.3
Men who Have Sex with Men (MSM)	1	200	400	123.0
Injecting Drug User (IDU)	22	10,380	15,200	100.0
Single Male Migrants	2	48,950		99.5
Long Distance Truckers	0	0		0.0
Total (Including Core Composite Sites - 8)	35			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	57,669	1,348
Pregnant Women	20,856	198
No. of ICTC	25	
No. of Mother-Baby Pairs Received Nevirapine	128	

Laboratory Services	No. of NRL	No. of SRL	No. of CD4 Machines
	0	1	1

Care, Support & Treatment			
No. of ART Centres	2	No. of Link ART Centres	4
No. of CCCs	1	No. of PLHA Regd	3,330
Total No. of PLHA on ART (Male + Female)	917	No. of Females on ART	458
No. of Children on ART	59	No. of Males on ART	459

Nagaland


Epidemic Scenario (2009) - Estimated	Total	Male	Female
Adult HIV Prevalence (%)	0.78	0.94	0.61
No. of PLHA	13,120	8,481	4,639
No. of CLHA	267		
No. of New Infections	704		
No. of AIDS related deaths	783		

Information Education Communication	
No. of Red Ribbon Clubs	50
No. of School with AEP	782
No. of Drop-in-Centres	14
No. of PLHA Networks (DLN & SLN)	9

STI/RTI Services	
No. of STI Clinics	11
No. of STI Episodes Treated	25,669

Blood Safety	
No. of Blood Banks	8
No. of Blood Units Collected	7,196
% of Units collected by VBD	79.3

Link Worker Scheme - No. of Districts	
	10



Targeted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	0	6,485	3,205	0.0
Men who Have Sex with Men (MSM)	2	1,399	1,000	0.0
Injecting Drug User (IDU)	24	19,678	22,819	66.6
Single Male Migrants	1	5,000		100.0
Long Distance Truckers	1	5,000		100.0
Total (Including Core Composite Sites - 11)	39			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	79,260	1,672
Pregnant Women	16,931	167
No. of ICTC	60	
No. of Mother-Baby Pairs Received Nevirapine	78	

Laboratory Services	No. of NRL	No. of SRL	No. of CD4 Machines
	0	2	4

Care, Support & Treatment			
No. of ART Centres	5	No. of Link ART Centres	4
No. of CCCs	4	No. of PLHA Regd	7,038
Total No. of PLHA on ART (Male + Female)	2,279	No. of Females on ART	1,052
No. of Children on ART	115	No. of Males on ART	1,227



Odisha


Epidemic Scenario (2009) - Estimated	Total	Male	Female
Adult HIV Prevalence (%)	0.29	0.35	0.23
No. of PLHA	71,813	44,417	27,396
No. of CLHA	1,762		
No. of New Infections	11,268		
No. of AIDS related deaths	3,219		

Information Education Communication	
No. of Red Ribbon Clubs	700
No. of School with AEP	0
No. of Drop-in-Centres	8
No. of PLHA Networks (DLN & SLN)	12

STI/RTI Services	
No. of STI Clinics	36
No. of STI Episodes Treated	2,15,028

Blood Safety	
No. of Blood Banks	56
No. of Blood Units Collected	2,42,961
% of Units collected by VBD	73.1

Link Worker Scheme - No. of Districts	
	7



Targeted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	19	22,859	13,000	92.9
Men who Have Sex with Men (MSM)	4	5,936	5,700	96.5
Injecting Drug User (IDU)	9	3,077	2,400	79.2
Single Male Migrants	10	63,660		121.1
Long Distance Truckers	1	46,045		10.9
Total (Including Core Composite Sites - 26)	69			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	3,88,059	3,819
Pregnant Women	1,74,518	249
No. of ICTC	184	
No. of Mother-Baby Pairs Received Nevirapine	160	

Laboratory Services	No. of NRL	No. of SRL	No. of CD4 Machines
	0	3	4

Care, Support & Treatment			
No. of ART Centres	5	No. of Link ART Centres	4
No. of CCCs	7	No. of PLHA Regd	12,505
Total No. of PLHA on ART (Male + Female)	2,956	No. of Females on ART	1,076
No. of Children on ART	124	No. of Males on ART	1,880

Puducherry


Epidemic Scenario (2009) - Estimated	Total	Male	Female
Adult HIV Prevalence (%)	0.28	0.33	0.22
No. of PLHA	2,254	1,372	882
No. of CLHA	78		
No. of New Infections	94		
No. of AIDS related deaths	131		

Information Education Communication	
No. of Red Ribbon Clubs	50
No. of School with AEP	38
No. of Drop-in-Centres	2
No. of PLHA Networks (DLN & SLN)	0

STI/RTI Services	
No. of STI Clinics	4
No. of STI Episodes Treated	14,008

Blood Safety	
No. of Blood Banks	5
No. of Blood Units Collected	23,965
% of Units collected by VBD	0.0

Link Worker Scheme - No. of Districts	
	0



Targeted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	0	2,300	2,077	100.4
Men who Have Sex with Men (MSM)	0	2,000	1,475	143.9
Injecting Drug User (IDU)	0	0	140	0.0
Single Male Migrants	1	20,000		0.0
Long Distance Truckers	0	3,246		0.0
Total (Including Core Composite Sites - 1)	2			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	60,829	761
Pregnant Women	30,187	35
No. of ICTC	10	
No. of Mother-Baby Pairs Received Nevirapine	37	

Laboratory Services	No. of NRL	No. of SRL	No. of CD4 Machines
	0	1	1

Care, Support & Treatment			
No. of ART Centres	1	No. of Link ART Centres	0
No. of CCCs	1	No. of PLHA Regd	1,537
Total No. of PLHA on ART (Male + Female)	664	No. of Females on ART	288
No. of Children on ART	64	No. of Males on ART	376



Punjab


Epidemic Scenario (2009) - Estimated	Total	Male	Female
Adult HIV Prevalence (%)	0.32	0.37	0.26
No. of PLHA	56,927	36,111	20,816
No. of CLHA	1,992		
No. of New Infections	3,611		
No. of AIDS related deaths	3,989		

Information Education Communication	
No. of Red Ribbon Clubs	393
No. of School with AEP	3,000
No. of Drop-in-Centres	2
No. of PLHA Networks (DLN & SLN)	1

STI/RTI Services	
No. of STI Clinics	24
No. of STI Episodes Treated	1,47,035

Blood Safety	
No. of Blood Banks	52
No. of Blood Units Collected	3,40,186
% of Units collected by VBD	62.6

Link Worker Scheme - No. of Districts	
	0




Targeted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	7	48,840	13,750	100.0
Men who Have Sex with Men (MSM)	2	5,351	2,550	100.0
Injecting Drug User (IDU)	18	17,770	10,000	100.0
Single Male Migrants	3	12,14,510		1.0
Long Distance Truckers	3	84,890		35.3
Total (Including Core Composite Sites - 13)	46			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	2,77,043	5,425
Pregnant Women	1,29,131	243
No. of ICTC	71	
No. of Mother-Baby Pairs Received Nevirapine	141	

Laboratory Services	No. of NRL	No. of SRL	No. of CD4 Machines
	0	3	3

Care, Support & Treatment			
No. of ART Centres	6	No. of Link ART Centres	6
No. of CCCs	4	No. of PLHA Regd	18,154
Total No. of PLHA on ART (Male + Female)	6,378	No. of Females on ART	2,662
No. of Children on ART	379	No. of Males on ART	3,716



Rajasthan


Epidemic Scenario (2009) - Estimated	Total	Male	Female
Adult HIV Prevalence (%)	0.19	0.22	0.15
No. of PLHA	76,317	47,520	28,797
No. of CLHA	3,909		
No. of New Infections	5,018		
No. of AIDS related deaths	5,183		

Information Education Communication	
No. of Red Ribbon Clubs	300
No. of School with AEP	0
No. of Drop-in-Centres	2
No. of PLHA Networks (DLN & SLN)	27

STI/RTI Services	
No. of STI Clinics	48
No. of STI Episodes Treated	2,97,460

Blood Safety	
No. of Blood Banks	45
No. of Blood Units Collected	4,60,456
% of Units collected by VBD	74.1

Link Worker Scheme - No. of Districts	
	7



Targeted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	23	52,313	23,650	86.7
Men who Have Sex with Men (MSM)	5	17,574	7,200	60.4
Injecting Drug User (IDU)	5	2,473	1,450	62.1
Single Male Migrants	11	1,83,710		20.0
Long Distance Truckers	2	1,02,000		19.6
Total (Including Core Composite Sites - 11)	57			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	5,28,115	8,066
Pregnant Women	2,94,249	367
No. of ICTC	182	
No. of Mother-Baby Pairs Received Nevirapine	263	

Laboratory Services	No. of NRL	No. of SRL	No. of CD4 Machines
	0	6	5

Care, Support & Treatment			
No. of ART Centres	6	No. of Link ART Centres	30
No. of CCCs	8	No. of PLHA Regd	26,659
Total No. of PLHA on ART (Male + Female)	8,791	No. of Females on ART	3,502
No. of Children on ART	575	No. of Males on ART	5,289



Sikkim


Epidemic Scenario (2009) - Estimated	Total	Male	Female
Adult HIV Prevalence (%)	0.06	0.07	0.05
No. of PLHA	231	148	83
No. of CLHA	5		
No. of New Infections	23		
No. of AIDS related deaths	9		

Information Education Communication	
No. of Red Ribbon Clubs	7
No. of School with AEP	23
No. of Drop-in-Centres	1
No. of PLHA Networks (DLN & SLN)	1

STI/RTI Services	
No. of STI Clinics	6
No. of STI Episodes Treated	8,274

Blood Safety	
No. of Blood Banks	2
No. of Blood Units Collected	3,307
% of Units collected by VBD	68.4

Link Worker Scheme - No. of Districts	
	0



Targeted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	2	686	705	102.3
Men who Have Sex with Men (MSM)	0	128	0	0.0
Injecting Drug User (IDU)	2	1,000	1,345	107.7
Single Male Migrants	2	16,000		25.4
Long Distance Truckers	0	0		0.0
Total (Including Core Composite Sites - 0)	6			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	23,911	31
Pregnant Women	7,727	1
No. of ICTC	12	
No. of Mother-Baby Pairs Received Nevirapine	2	

Laboratory Services	No. of NRL	No. of SRL	No. of CD4 Machines
	0	1	0

Care, Support & Treatment			
No. of ART Centres	1	No. of Link ART Centres	0
No. of CCCs	1	No. of PLHA Regd	148
Total No. of PLHA on ART (Male + Female)	51	No. of Females on ART	24
No. of Children on ART	1	No. of Males on ART	27

Tamil Nadu


Epidemic Scenario (2009) - Estimated	Total	Male	Female
Adult HIV Prevalence (%)	0.33	0.39	0.27
No. of PLHA	1,54,742	93,023	61,719
No. of CLHA	6,749		
No. of New Infections	850		
No. of AIDS related deaths	12,459		

Information Education Communication	
No. of Red Ribbon Clubs	2,337
No. of School with AEP	10,000
No. of Drop-in-Centres	37
No. of PLHA Networks (DLN & SLN)	31

STI/RTI Services	
No. of STI Clinics	156
No. of STI Episodes Treated	9,34,738

Blood Safety	
No. of Blood Banks	94
No. of Blood Units Collected	6,85,482
% of Units collected by VBD	99.5

Link Worker Scheme - No. of Districts	
	22



Targeted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	15	64,631	44,429	145.6
Men who Have Sex with Men (MSM)	15	38,505	27,507	143.9
Injecting Drug User (IDU)	2	2,964	1,024	102.1
Single Male Migrants	5	1,16,290		175.3
Long Distance Truckers	5	1,04,405		67.0
Total (Including Core Composite Sites - 10)	52			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	28,15,245	26,089
Pregnant Women	9,44,150	1,204
No. of ICTC	783	
No. of Mother-Baby Pairs Received Nevirapine	1,379	

Laboratory Services	No. of NRL	No. of SRL	No. of CD4 Machines
	3	12	29

Care, Support & Treatment			
No. of ART Centres	41	No. of Link ART Centres	83
No. of CCCs	35	No. of PLHA Regd	1,71,641
Total No. of PLHA on ART (Male + Female)	47,397	No. of Females on ART	21,089
No. of Children on ART	2,842	No. of Males on ART	26,308



Tripura


Epidemic Scenario (2009) - Estimated	Total	Male	Female
Adult HIV Prevalence (%)	0.15	0.18	0.12
No. of PLHA	3,426	2,099	1,327
No. of CLHA	114		
No. of New Infections	280		
No. of AIDS related deaths	244		

Information Education Communication	
No. of Red Ribbon Clubs	11
No. of School with AEP	0
No. of Drop-in-Centres	0
No. of PLHA Networks (DLN & SLN)	0

STI/RTI Services	
No. of STI Clinics	14
No. of STI Episodes Treated	44,005

Blood Safety	
No. of Blood Banks	6
No. of Blood Units Collected	24,035
% of Units collected by VBD	96.6

Link Worker Scheme - No. of Districts	
	2



Targeted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	9	17,374	9,300	93.5
Men who Have Sex with Men (MSM)	0	1,176	1,450	27.6
Injecting Drug User (IDU)	2	1,128	900	116.7
Single Male Migrants	2	35,800		175.6
Long Distance Truckers	0	0		0.0
Total (Including Core Composite Sites - 1)	14			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	37,065	153
Pregnant Women	11,687	33
No. of ICTC	14	
No. of Mother-Baby Pairs Received Nevirapine	1	

Laboratory Services	No. of NRL	No. of SRL	No. of CD4 Machines
	0	1	1

Care, Support & Treatment			
No. of ART Centres	1	No. of Link ART Centres	0
No. of CCCs	2	No. of PLHA Regd	465
Total No. of PLHA on ART (Male + Female)	148	No. of Females on ART	33
No. of Children on ART	2	No. of Males on ART	115

Uttar Pradesh


Epidemic Scenario (2009) - Estimated	Total	Male	Female
Adult HIV Prevalence (%)	0.09	0.11	0.07
No. of PLHA	1,09,352	68,624	40,728
No. of CLHA	7,355		
No. of New Infections	6,397		
No. of AIDS related deaths	8,180		

Information Education Communication	
No. of Red Ribbon Clubs	197
No. of School with AEP	0
No. of Drop-in-Centres	1
No. of PLHA Networks (DLN & SLN)	28

STI/RTI Services	
No. of STI Clinics	86
No. of STI Episodes Treated	6,79,035

Blood Safety	
No. of Blood Banks	70
No. of Blood Units Collected	6,95,421
% of Units collected by VBD	65.1

Link Worker Scheme - No. of Districts	
	8



Targeted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	11	34,683	18,700	108.8
Men who Have Sex with Men (MSM)	5	17,604	9,175	106.5
Injecting Drug User (IDU)	16	14,010	10,100	55.0
Single Male Migrants	0	0		0.0
Long Distance Truckers	4	154,670		210.0
Total (Including Core Composite Sites - 50)	86			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	7,04,818	12,090
Pregnant Women	3,36,945	374
No. of ICTC	217	
No. of Mother-Baby Pairs Received Nevirapine	267	

Laboratory Services	No. of NRL	No. of SRL	No. of CD4 Machines
	1	9	8

Care, Support & Treatment			
No. of ART Centres	10	No. of Link ART Centres	39
No. of CCCs	11	No. of PLHA Regd	40,283
Total No. of PLHA on ART (Male + Female)	14,000	No. of Females on ART	5,476
No. of Children on ART	818	No. of Males on ART	8,524



Uttarakhand


Epidemic Scenario (2009) - Estimated	Total	Male	Female
Adult HIV Prevalence (%)	0.10	0.12	0.08
No. of PLHA	5,539	3,571	1,968
No. of CLHA	105		
No. of New Infections	1,196		
No. of AIDS related deaths	97		

Information Education Communication	
No. of Red Ribbon Clubs	118
No. of School with AEP	0
No. of Drop-in-Centres	8
No. of PLHA Networks (DLN & SLN)	0

STI/RTI Services	
No. of STI Clinics	13
No. of STI Episodes Treated	88,584

Blood Safety	
No. of Blood Banks	17
No. of Blood Units Collected	69,565
% of Units collected by VBD	75.1

Link Worker Scheme - No. of Districts	
	0




Targeted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	11	7,093	6,550	86.3
Men who Have Sex with Men (MSM)	2	2,743	1,540	93.5
Injecting Drug User (IDU)	4	240	2,010	74.6
Single Male Migrants	5	94,555		31.7
Long Distance Truckers	0	22,000		0.0
Total (Including Core Composite Sites - 4)	26			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	83,835	757
Pregnant Women	37,110	49
No. of ICTC	47	
No. of Mother-Baby Pairs Received Nevirapine	16	

Laboratory Services	No. of NRL	No. of SRL	No. of CD4 Machines
	0	1	1

Care, Support & Treatment			
No. of ART Centres	2	No. of Link ART Centres	8
No. of CCCs	2	No. of PLHA Regd	2,154
Total No. of PLHA on ART (Male + Female)	836	No. of Females on ART	367
No. of Children on ART	67	No. of Males on ART	469



West Bengal


Epidemic Scenario (2009) - Estimated	Total	Male	Female
Adult HIV Prevalence (%)	0.29	0.34	0.23
No. of PLHA	1,67,994	1,02,858	65,136
No. of CLHA	6,956		
No. of New Infections	7,316		
No. of AIDS related deaths	14,154		

Information Education Communication	
No. of Red Ribbon Clubs	404
No. of School with AEP	10,000
No. of Drop-in-Centres	8
No. of PLHA Networks (DLN & SLN)	20

STI/RTI Services	
No. of STI Clinics	43
No. of STI Episodes Treated	4,72,956

Blood Safety	
No. of Blood Banks	62
No. of Blood Units Collected	7,99,682
% of Units collected by VBD	86.4

Link Worker Scheme - No. of Districts	
	7



Targeted Interventions	No. of TIs	Estimated Size	Target (2010-11)	% Coverage
Female Sex Worker (FSW)	39	57,800	40,150	91.7
Men who Have Sex with Men (MSM)	9	20,825	10,020	66.9
Injecting Drug User (IDU)	10	17,219	6,775	92.6
Single Male Migrants	7	2,17,992		21.8
Long Distance Truckers	8	1,89,000		33.0
Total (Including Core Composite Sites - 0)	73			

Counseling & Testing Services	No. Tested	No. HIV Positive
Total	5,33,844	7,382
Pregnant Women	3,20,276	422
No. of ICTC	256	
No. of Mother-Baby Pairs Received Nevirapine	189	

Laboratory Services	No. of NRL	No. of SRL	No. of CD4 Machines
	2	5	6

Care, Support & Treatment			
No. of ART Centres	9	No. of Link ART Centres	21
No. of CCCs	13	No. of PLHA Regd	24,891
Total No. of PLHA on ART (Male + Female)	8,003	No. of Females on ART	2,641
No. of Children on ART	405	No. of Males on ART	5,362



Notes and Glossary

1. All the figures given under Epidemic Scenario section of the state fact sheets are estimated figures from HIV Estimations 2010.
2. **District Categorisation for Priority Attention:** District level focus is central to planning, implementation and monitoring NACP-III. Based on HIV prevalence in the districts among different population groups for three consecutive years 2004-2006, all districts in the country were classified in 2007 into 4 categories - 156 A, 39 B, 118 C & 296 D. NACP's organizational structure has been decentralized to implement programmes at the district level, with priority for 'A' and 'B' category districts. Definitions of the district categories are as follows.
 - a. **Category A:** More than 1% ANC prevalence (prevalence among pregnant women attending antenatal clinics) in district in any of the surveillance sites in the 3 year reference period.
 - b. **Category B:** Less than 1% ANC prevalence in all the sites during the 3 years with more than 5% prevalence in any high risk group surveillance site (STI patients/FSW/MSM/IDU).
 - c. **Category C:** Less than 1% ANC prevalence in all sites during the 3 years with less than 5% in all high risk group surveillance sites, with known hot spots (Migrants, truckers, large aggregation of factory workers, tourist etc).
 - d. **Category D:** Less than 1% ANC prevalence in all sites during the 3 years with less than 5% in all high risk group surveillance sites and no known hot spots OR no or poor HIV data.
3. **Red Ribbon Clubs (RRC):** Red Ribbon Clubs formed in colleges provide a forum for students to come together to share information on HIV/AIDS and safe behaviours, discuss related issues and also motivate them to participate in voluntary blood donation.
4. **Adolescent Education Programme (AEP):** The Adolescence Education Programme (AEP) is an intervention to build life skills of the young people and help them cope with negative peer pressure, develop positive behaviour, improve sexual health and prevent HIV infections. Under the programme, sessions are scheduled for sixteen hours for classes IX and XI.
5. **Drop-in-Centres (DIC):** DICs is a platform to provide PLHA psycho-social support, linkages with services and counseling on drug adherence, nutrition, livelihood and legal issues. They have been set up in A and B category districts and are managed primarily by PLHA networks.
6. **PLHA Networks:** Networks of HIV Positive persons and women are formed at national, state and district levels. Such Networks act as platforms for people living with HIV to share their concerns, seek support and legal aid. They address stigma and discrimination related cases among their members and also provide social support for those isolated by their family and community. The networks are encouraged to advocate and promote the utilisation of HIV related services.
7. **STI/RTI Services:** Sexually Transmitted Infections/Reproductive Tract Infections increase the risk of HIV transmission significantly. STI/RTI services are aimed at preventing HIV transmission and promoting sexual and reproductive health under NACP-III and Reproductive and Child Health (RCH II) of the National Rural Health Mission (NRHM).

8. **Blood Safety:** Under the Blood Safety programme, blood banks across the country are supported and voluntary blood donation is strongly promoted to ensure that every blood unit collected is screened and is free from HIV and other infections.
9. **Link Worker Scheme (LWS):** Link Workers Scheme is a community based intervention that addresses HIV prevention and care needs of the high risk and vulnerable population in rural areas by providing information on HIV, condom promotion and distribution, and referrals to counseling, testing and STI/RTI services.
10. **High Risk Groups (HRG):** Populations with high risk behaviour for contracting HIV. Include Female Sex Workers (FSW), Men who have Sex with Men (MSM), Injecting Drug Users (IDU), Single Male Migrants and Long Distance Truckers. The last two groups are also referred to as Bridge Population.
11. **Targeted Intervention (TI):** TIs are peer-led preventive interventions focused on HRG and bridge population, implemented by Non-Government Organisations (NGO) and Community-based Organisations (CBO) in a defined geographic area. They provide prevention services such as behavioural change communication, condom distribution, STI/RTI services, needle & syringe exchange, opioid substitution therapy, referrals and linkages to health facilities providing HIV/AIDS services, community mobilisation and creating enabling environment.
12. **Core Composite TI:** TI that provides prevention services to more than one high risk group.
13. The number of TIs mentioned in the document includes only NACO-supported TIs. Migrant TIs include only destination TIs. Percentage coverage is calculated against the target for 2010-11.
14. **Counseling & Testing Services:** Integrated Counseling and Testing Centre (ICTC) is a place where a person is counseled and tested for HIV on his/her own volition (Client Initiated) or as advised by a health service provider (Provider Initiated) in a supportive and confidential environment. These centres are the entry points for reinforcing HIV prevention messages and linking HIV positive people to HIV care, support and treatment services. There are several contexts for providing HIV testing services - voluntary counseling and testing, prevention of parent to child transmission, screening of TB patients and diagnostic testing among symptomatic patients.
15. **Prevention of Parent to Child Transmission (PPTCT):** Mother to child transmission of HIV may take place during pregnancy, during childbirth or through breastfeeding. To prevent this, under PPTCT programme, every pregnant woman visiting antenatal clinics or visiting hospital at the time of delivery are tested for HIV. If a pregnant woman is positive, she is closely followed up to ensure institutional delivery. At the time of delivery, the pregnant woman and the newborn baby are given single dose of Nevirapine to prevent mother to child transmission of HIV.
16. **Laboratory Services:** An extensive network of National Reference Laboratories (NRL) and State Reference Laboratories (SRL) provide quality control for HIV testing at blood banks and ICTCs under the programme, besides conducting test kit evaluation. Laboratory support is also provided for CD4 testing of positive individuals and DNA PCR testing of infants and children below 18 months of age.
17. The **Care, Support and Treatment programme** of NACP-III provides comprehensive management to PLHA with respect to prevention and treatment of Opportunistic Infections including TB, Anti-retroviral

Therapy (ART), psychosocial support, home-based care, positive prevention and impact mitigation.

18. **ART Centres:** Free first line and second line Anti-Retroviral Treatment (ART) is provided to clinically eligible PLHA at designated centres across the country. As soon as a person is detected to be HIV positive at ICTC, he is referred to the ART centre for pre-ART registration. At the time of registration, all the baseline investigations are done including CD4 count (explained below). If the person is clinically eligible for treatment, he is started on first line ART. Otherwise, they are followed up every six months for CD4 count. The number of PLHA on ART mentioned in the document refers to those on first line ART at NACO supported ART centres. Another 27,000 PLHA are receiving ART at centres supported under inter-sectoral collaboration.
19. **Link ART Centres:** In order to facilitate the delivery of ART services nearer to the beneficiaries, Link ART Centres, located mainly at ICTC in the district/sub-district level hospitals, were set up nearer to the patient's residence and linked to a Nodal ART centre within accessible distance.
20. **Community Care Centres (CCC):** CCCs have been set up in the non-government sector with the objective of providing PLHA with psycho-social support, counseling for drug adherence and nutrition, treatment of Opportunistic Infections, home-based care, referral and outreach services for follow up, besides tracing patients lost to follow up (LFU) and those missing to get ARV drugs as per schedule.
21. CD4 cells are specialized T cells that are part of our immune system. In case of HIV, CD4 cells are the host cells that aid HIV in replication. HIV attaches to the CD4 cells, allowing the virus to enter and infect the CD4 cells, damaging them in the process. The fewer functioning CD4 cells, the lower the immune system and therefore, more vulnerable a person is to infections and illnesses. Knowing how many functioning CD4 cells are circulating in the blood gives indication of how strong the HIV positive person's immune system really is. CD4 machines are used to test blood sample for CD4 count in the blood.

National AIDS Control Programme (NACP-III) aims at halting and reversing HIV epidemic in India by scaling up prevention efforts among High Risk Groups (HRG) and General Population and integrating them with Care, Support & Treatment services. NACP-III is a scientifically well-evolved programme grounded on a strong structure of policies, programmes, schemes, guidelines, rules and operational norms. Formulating each of them is a rigorous process of undertaking research, reviewing evidence, consolidating field observations and programme experiences, conducting detailed discussions and deliberations, piloting and periodic evaluations.

Strengthening the nationwide Strategic Information Management System is one of the four key strategies of NACP-III. Having a strong Strategic Information is a high priority agenda under the programme, towards building up an effective response to HIV epidemic in the country. Strategic Information Management assists programme in tracking the epidemic, scale, reach and effectiveness of the response. It generates and manages crucial information on the level and spread of HIV and risk behaviours, implementation of interventions, reach of service delivery and access to beneficiaries. It also helps assess how well National AIDS Control Organisation (NACO), State AIDS Control Societies and all partner organizations are fulfilling their commitment to meet the agreed objectives.

Another key function under Strategic Information is to promote data use for advocacy, policy making, programme planning, implementation and review at national, state, and district levels. As a part of NACO's endeavour to disseminate programme information and promote data use by different stakeholders, this document titled 'National AIDS Control Programme Phase III State Fact Sheets March 2011' has been developed. It consolidates the information on epidemic scenario and programme response at state level into a one page factsheet on each state, for easy and quick reference. The HIV estimates mentioned in the document are the latest available estimates on HIV epidemic, with reference year 2009. Programme statistics refer to the status as on 31st March 2011 and summarise achievements in the first four years of NACP-III. A snapshot of national scenario is included at the beginning. A note and glossary is also added at the end that gives brief description of different services provided under NACP-III and mentioned in the Fact Sheets.



National AIDS Control Organisation

**India's voice against AIDS
Department of AIDS Control**

Ministry of Health & Family Welfare, Government of India
www.nacoonline.org